

YOUR FACTORY IS UNDER OUR WARRANTY

insulating glass production machinery

GLASS MACHINERY

www.lidermachine.com



DESICCANT FILLING MACHINE

SİLİKAJEL NEM ALICI DOLUM MAKİNASI



INSULATION

DECA

AUXILIARY MACHINES

MAKİNE ÖZELLİKLERİ

Dolum bekleyen malzemenin bozulmasını engelleyen ayarlı termostatlı ısıtıcı sistem
Pnömatik titreşim ile dolum
Dolum sırasında dökülmeyi önleyen malzeme toplama ünitesi
Aynı anda farklı ölçülerde profillere dolum yapabilme
Malzeme akışı kontrol ünitesi
Uzun ömürlü koruma için elektrostatik fırın boya
CE güvenlik koşullarına uygun elektrik sistemi

MECHNICIAL SPECIFICATIONS

Adjustable thermostat heating system for preventing damage in material while filling
Pneumatic vibration filling system
Material collecting unit for preventing extra materials' dropping
Able to fill profiles in different thicknesses at the same time
Material flow control unit
Electrostatic powder paint for long-life protection
Electrical system is suitable for CE safety conditions



PROFILE PREPARATION MACHINES

25 KG

| Model | | DCT 3210 |
|-------------------------|---------------------------|-------------------|
| L = LENGTH | L = UZUNLUK | 4000 mm |
| H = HEIGHT | H = YÜKSELİK | 2170 mm |
| W = WIDTH | W = GENİŞLİK | 2200 mm |
| WEIGHT | AĞIRLIK | 1850 kg |
| AIR PRESSURE | AIR PRESSURE | 6 bar |
| CUTABLE GLASS SIZE | KESİLEBİLİR CAM ÖLÇÜSÜ | 3210x2500 mm |
| CUTABLE GLASS THICKNESS | KESİLEBİLİR CAM KALINLIĞI | Min. 3mm Max.19mm |
| AIR CONSUMPTION | HAVA TÜKETİMİ | 100 lt/dakika |
| TOTAL POWER | TOPLAM GÜÇ | 7 kW |
| AIR BLOWER | FAN MOTORU | 5,5 kW |
| HYDRAULIC ENGINE | HİDROLİK MOTOR | 1,1 kW |
| VOLTAGE | VOLTAJ | 400 V 3 NPE AC |
| FREQUENCY | FREKANS | 50 Hz |
| NOISE INTENSITY | GÜRÜLTÜ ŞİDDETİ | 75 dB (A) |

10 YEARS OF EXPERIENCE



LIDER Glass Machinery;

automatic glass cutting machine, automatic glass cutting line, digital glass cutting table, manual glass cutting table, automatic combination glass washing line double and triple glass production, automatic combination glass washing line facade glass production machine, standard glass washing machine, inox body glass washing machine , servo controlled panell pressing glass washing machine, silicone bonding extruder, polysulfide thiocol extruder, polyurethane extruder, hotmelt extruder machine, manual press table, Frezer, standard rotary table, manual cutting machine, desiccant filling machine, automatic bending machine We manufacture machines with alternative solutions for the production of insulated glass, automatic desiccant filling machine and heat insulated glass.

As LIDER Machine, we continue to produce innovative and technological heat insulated glass machines with our own designs of our research and development studies that we do in line with the wishes of our customers. We are always developing, growing and producing with our understanding of high quality production.



+90 262 504 78 70



info@lidermachine.com
onder@lidermachine.com



www.lidermachine.com



Çerkesli OSB İmes San.Sit. 10.Cad. No:4
Dilovası /KOCAELİ /TÜRKİYE

lider.cammakina



liderglassmachine



lidermachine



lider glass machinery



lider glass machinery



+90 (532) 400 70 70



www.lidermachine.com